






## VDI

- [Mac](#) —
- [Windows](#)
- [VNC](#)

## App

- Remote Desktop clients

 Windows 10	 MacOS	 ANDROID	 iOS



## Edit PC

PC name:

User account:

General

Display

Devices & Audio

Folders

Resolution:

- ☒ Use all monitors
- ☒ Start session in full screen
- ☒ Fit session to window

Color quality:

- ☒ Optimize for Retina displays  
Only recommended for connections to Windows 10, Windows Server 2016, and later.
- ☐ Update the session resolution on resize  
Only available when connecting to Windows 8.1, Windows Server 2012 R2, and later.

Cancel

Save

## Edit PC

PC name:

User account:



General

Display

Devices & Audio

Folders

Choose the devices that you want to use in the remote session and configure remote audio settings.

- Redirect:
- ☒ Printers
  - ☒ Smart cards
  - ☒ Clipboard
  - ☒ Microphone
  - ☒ Cameras

Play sound:



Cancel

Save


# Mac —

- / Apple / MacOS
- / Win 10

•




•



Windows

Windows






# Windows

Win 10

•



•

远程桌面连接



远程桌面  
连接

计算机(C): nas.321jr.com:30001

用户名: DESKTOP-B508A0H\...

将使用保存的凭据连接到此计算机。可以[编辑](#)或[删除](#)这些凭据。

显示选项(O)

连接(N)

帮助(H)

远程桌面连接



远程桌面  
连接

常规

显示

本地资源

体验

高级

登录设置



输入远程计算机的名称。

计算机(C): nas.321jr.com:30001

用户名: 321jr

当你连接时将向你询问凭据。要使用保存的凭据，请清除以下复选框。

☒ 始终要求凭据(A)

连接设置



将当前连接设置保存到 RDP 文件或打开一个已保存的连接。

保存(S)

另存为(V)...

打开(E)...

隐藏选项(O)

连接(N)

帮助(H)



Apache Guacamole

Guacamole 0.9.4

Image not found or type unknown

Apache Guacamole    VNC RDP SSH

HTML5            Guacamole

# VNC

## TurboVNC



(VNC)

VNC

VNC

- TOTP [OATH Toolkit](#) TurboVNC (2FA)

## VirtualGL



VirtualGL    Unix/Linux OpenGL    3D    GPU    3D    3D