

Meteor

Meteor

Meteor || JavaScript | (Distributed Data Protocol, DDP) || WebSocket || Asynchronous JavaScript
+XML(Ajax) |

Meteor || MongoDB || MongoDB || JavaScript || MongoDB || DDP |
JavaScript |

Meteor | HTML | Meteor

Meteor | <https://www.meteor.com/>

Meteor

```
curl https://install.meteor.com/ | sh
```

eteor 1.1.0.3 has been installed in your home directory (~/.meteor).
Writing a launcher script to /usr/local/bin/meteor for your convenience.
This may prompt for your password.

To get started fast:

```
$ meteor create ~/my_cool_app  
$ cd ~/my_cool_app  
$ meteor
```

Or see the docs at:

docs.meteor.com

Meteor

meteor create :

```
meteor create test-meteor
```

```
test-meteor: created.
```

To run your new app:

```
cd test-meteor
```

```
meteor
```

Meteor

```
meteor || meteor :
```

```
meteor
```

```
[[[[[ ~/Documents/workspace/node/test-meteor ]]]]]
```


```
=> Started proxy.
```

```
=> Started MongoDB.
```

```
=> Started your app.
```

```
=> App running at: http://localhost:3000/
```

<http://localhost:3000/>



Revision #1

Created 20 February 2022 11:53:40 by

Updated 10 July 2022 09:58:50 by