

# Nativefier

```
1. npm install nativefier -g
```

```
1. nativefier "https://mr-houzi.github.io/"
```

---

## nativefier

```
1. nativefier --name "AppName" "https://mr-houzi.github.io/"
```

```
1. nativefier --icon <path>
```

## Windows Linux

icon .png

## OSX

icon a.icns .png

```
1. nativefier --p <value>
```

linux windows osx

win32 Windo darwin mac OSX

```
1. -m, --show-menu-bar
```

```
1. --disable-context-menu
```

```
1. --single-instance
```

1. `-- tray`

1. `nativefier --app-copyright <value>`

`|LegalCopyright| OS |NSHumanReadableCopyright|`

1. `--width <value>`

`1280px`

1. `--height <value>`

`800px`

1. `--min-width <value>`

`0`

1. `--min-height <value>`

`0`

1. `--max-width <value>`

1. `--max-height <value>`

## X

1. `--x <value>`

`X`

## Y

1. `--y <value>`

`Y`

resources\app\nativefier.json

nativefier.json

1 {"name": "ZhenCheKeJi", "targetUrl": "https://nc.mcw

	--name	2.0
	--icon	Windows Linux icon .png D:\app\favicon.ico OSX icon a .icns .pr
	--platform	Linux / Windows
	--arch	
	--tray	
	-m, --show-menu-bar	
	nativefier --p <value>	linux windows / win32 osx / darwin /mac
	--single-instance	
	--disable-context-menu	
	nativefier --app-copyright <value>	Windows LegalCopyright O X NSHumanReadableCopyright
HTML		
nativefier --name "Sample" "index.html"		
\app\nativefier.json "targetURL" targetURL html		
	--width <value>	1280px
	--height <value>	800px
	--min-width <value>	0
	--min-height <value>	0

	--max-width <value>	
	--max-height <value>	
X	--x <value>	X
Y	--y <value>	Y
--tray		
--disable-dev-tools	Chrome	
--single-instance		