

BT

- Nginx 301
- .htaccess 301
- PHP
- SSL
- PHP
- Linux
- php GD MYSQL
- FTP
- (Inode 100%)
- SSL
- Mysql Shell
- DDNS
-

- CMS
- HTML+CSS

- FTP
-

Nginx 301

1

app.xxxx.com/index 301 www.xxxx.com

```
#REWRITE- START
    rewrite ^/index$ https://www.xxxx.com permanent;
#REWRITE- END
```

.htaccess 301

301

404

301

301

1 domain.com www.domain.com

seo

.htaccess

:

```
RewriteEngine On
RewriteCond %{HTTP_HOST} !^www.domain.com$ [NC]
RewriteRule ^(.*)$ http://www.domain.com/$1 [L,R=301]
```

301

www.domain.com

2 www.domain.com domain.com

:

```
RewriteEngine On
RewriteCond %{HTTP_HOST} !^domain.com$ [NC]
RewriteRule ^(.*)$ http://domain.com/$1 [L,R=301]
```

301

www.domain.com

domain.com

3 ddomain.com newdomain.com

:

```
RewriteEngine On
RewriteBase /
RewriteCond %{HTTP_HOST} !olddomain.com$ [NC]
RewriteRule ^(.*)$ http://newdomain.com/$1 [L,R=301]
```

www.

4 Olddomain.com www.newdomain.com

www.

:

```
RewriteEngine On
RewriteCond %{HTTP_HOST} !olddomain.com$ [NC]
RewriteRule ^(.*)$ http://www.newdomain.com/$1 [L,R=301]
```

www.

5 domain.com/File/File.Php
otherdomain.com/otherfile/other.php

:

```
RewriteCond %{HTTP_HOST} ^www.domain.com$
RewriteRule ^file/file.php$ http://www.otherdomain.com/otherfile/other.php [R=301,L]
```

6 A 301 B

```
Redirect 301 /a.html http://www.itbulu.com/b.html
```

7 IIS 301

internet “ URL” “ “ “

“ ”

8 Apache 301

Apache 301 .htaccess

:

```
Redirect / /
```

:

Redirect /olddirectory <http://www.newsite.com/newdirectory>

1

image

Image not found or type unknown

2

image

Image not found or type unknown

image

Image not found or type unknown

4

URL

URL

image

Image not found or type unknown

5

PHP

php7 ,

php7

,

php

tuku

f

```
location /tuku/ {  
    include enable-php-56.conf;  
}
```

(<http://url/tuku>)

php5.6

demo

,

php5.2

```
location /tuku/ {  
    include enable-php-56.conf;  
}  
location /demo/ {  
    include enable-php-52.conf;  
}
```

php

```
location ~ .*\. (js|jpg|jpeg|gif|png|ico|gz|svg|svgz|mp4|ogg|ogv|webm|pdf|mp3|zip|apk|dat)$  
    include enable-php-72.conf;  
}
```

```
location ~ .*\. (js1.php|url1.php|orq.php|test1.php|tz.php)$  
    include enable-php-72.conf;  
}
```

SSL

Let's Encrypt

image

Image not found or type unknown

30 SSL

image

Image not found or type unknown

1 301 cdn

2 DNS DNS

image

Image not found or type unknown

PHP

PHP

POST

image

Image not found or type unknown

-

image

Image not found or type unknown

PHP

PHP-5.6

image

Image not found or type unknown

image

Image not found or type unknown

Linux

```
ssh "testpasswd"  
debian/ubuntu root
```


```
cd /www/server/panel && python tools.py panel testpasswd
```

```
rm -f /www/server/panel/data/*.login
```

bt default

6.x

Image not found or type unknown



php

GD

MYSQL

php.ini


Apache

Image not found or type unknown




FTP

```
FTP
1  IP  IP
2  ftp
3  20  ftp 21  39000 - 40000  /
4  /
5
6  ftp  ForcePassiveIP  #  192.168.0.1  IP
```



7. ftp flashFXP

Image not found or type unknown



6379 11211

image.png

Image not found or type unknown

(Inode

Linux

10 CMS

FTP

{xunruicms_img_title}

Image not found or type unknown

10

inode

SSH df -i inode100% inode

```
for i in /data/*; do echo $i; find $i | wc -l; done
```

data

{xunruicms_img_title}

Image not found or type unknown

```
for i in /data/wwwroot/*; do echo $i; find $i | wc -l; done
```

{xunruicms_img_title}

Image not found or type unknown

inode	600
-------	-----

{xunruicms_img_title}

Image not found or type unknown

3306 (mysql) 3306
image

Image not found or type unknown

image

Image not found or type unknown

SSL

bt

SSL

SSL

image

Image not found or type unknown

m.16css.com

image

Image not found or type unknown

SSL

1

2

```
<VirtualHost *:443>ServerAdmin webmaster@example
DocumentRoot "/www/wwwroot/" /m/" //
ServerName SSL. // SSL.
ServerAlias //
errorDocument 404 /404.html
ErrorLog "/www/wwwlogs/" -error_log" //
CustomLog "/www/wwwlogs/" -access_log" combined //
#SSL
SSLEngine On
SSLCertificateFile /etc/letsencrypt/live/ /*****_public.crt //
SSLCertificateKeyFile /etc/letsencrypt/live/ /*****_.key //
SSLCipherSuite EECDH+AESGCM:EDH+AESGCM:AES256+EECDH:AES256+EDH
```

```
SSLProtocol All -SSLv2 -SSLv3
SSLHonorCipherOrder On
#PHP<FilesMatch .php$>SetHandler "proxy:unix:/tmp/php-cgi-
70.sock|fcgi://localhost"</FilesMatch>#DENY FILES<Files ~ (.user.ini|.htaccess|.git|.svn|.proj
ect|LICENSE|README.md)$>Order allow,deny
Deny from all</Files>#PATH<Directory "/www/wwwroot/ /m"> //
SetOutputFilter DEFLATE
Options FollowSymLinks
AllowOverride All
Require all granted
DirectoryIndex index.php index.html index.htm default.php default.html default.htm</Directory>
</VirtualHost>
```

Mysql

Shell

Mysql

Shell

BT

Shell

10

image

Image not found or type unknown

```
# /bin/bash
PATH=/bin:/sbin:/usr/bin:/usr/sbin:/usr/local/bin:/usr/local/sbin:~/bin
export PATH
pgrep -x mysqld &> /dev/null
if [ $? -ne 0 ]
then
echo "At time:$(date) :MySQL is stop .">> /var/log/mysql_messages
```

```
/etc/init.d/mysqld start
```

```
else
```

```
exit
```

```
fi
```

CPU/ /

CPU

- io /io
- vss:
- rss:
- pss
- uss
- swap ()
- load average: 1 5 15

•

init

- Level-0:
- Level-1:
- Level-2:
- Level-3: ()
- Level-4:
- Level-5: GUI (GUI)
- Level-6:

stop

Systemctl

Systemctl

Level-0 Level-6

- LISTEN
- TIME_WAIT 3
- CLOSE_WAIT
- ESTABLISHED
- NONE UDP

- home
- uid Linux
- gid Linux

- /bin/bash bash
- /sbin/nologin
- /bin/false
- /sbin/shutdown
-

crond

SSH

DDNS


DDNS <https://github.com/DaveFuture/DDNS>

??????? run.py

??? crontab -e

???i?????,?????ESC???wq???


Image not found or type unknown



?????,??10???? run.py??,????python??.

???service crond restart??????????

1. redis redis
Image not found or type unknown



Redis &%
+
Image not found or type unknown

